



中国·齐力控股集团有限公司
CHINA·QILI HOLDING GROUP CO., LTD.
安徽齐力不锈钢制品有限公司
ANHUI QILI STAINLESS STEEL PRODUCTS CO., LTD.
安徽齐力金属制品有限公司
ANHUI QILI METAL PRODUCTS CO., LTD.

中国 CHINA

集团总部: 中国浙江省温州市滨海开发区滨海三路3839-1
生产基地: 安徽省怀宁经济技术开发区兴业路1号
锻造中板基地: 安徽省怀宁经济开发区独秀大道32号
电话: +86-577-86990175
传真: +86-577-86990176
邮箱: sales@wzqlqjx.cn
网址: www.cnqlgroup.com www.cnqlstainless.com



小程序/Apple



国内官网/Website

国际 INTERNATIONAL

Headquarters: 3839-1 Binhai 3rd Road, Binhai Development Zone, Wenzhou, Zhejiang Province, China
Mass Production Factory: No. 1 Xingye Road, Huaining Economic Development Zone, Anhui Province
Forging & Punching Factory: No. 32 Duxiu Avenue, Huaining Economic Development Zone, Anhui Province
Tel: +86-577-86990175
Fax: +86-577-86990176
E-mail: sales@wzqlqjx.cn
Http: www.qilstainless.com www.sanitary-valve-fittings.com



国际官网/Website

中国·齐力控股集团
CHINA·QILI HOLDING GROUP



PROFESSIONAL MANUFACTURER OF
SANITARY FLUID VALVE & PIPE FITTING SOLUTIONS

高洁净流体设备阀门及管道连接部件
解决方案一站式专业制造商

卫生级由任&活接头系列
HYGIENIC UNION SERIES





卫生级由任系列


Hygienic union series

>>>>



DIN-14 WELDING LINER


DIN No.QL-001



SIZE	ΦA	ΦB	ΦC	L
10	10	18	22	17
15	16	24	28	17
20	20	30	36	18
25	26	35	44	22
32	32	41	50	25
40	38	48	56	26
50	50	61	68	28
65	66	79	86	32
80	81	93	100	37
100	99	112	121	44
	100	114	121	44

DIN-14 DA/DB WELDING LINER


DIN No.QL-002



SIZE	ΦA	ΦB	ΦC	L
10	10	15	DR-28*1/8	21
15	16	24	DR-34*1/8	21
20	20	30	DR-44*1/6	24
25	26	35	DR-52*1/6	29
32	32	41	DR-58*1/6	32
40	38	48	DR-65*1/6	33
50	50	61	DR-78*1/6	35
65	66	79	DR-95*1/6	40
80	81	93	DR-110*1/4	45
100	99	112	DR-130*1/4	54
	100	114	DR-130*1/4	54

DIN-15 DA/DB WELDING LINER

DIN No.QL-003



SIZE	ΦA	ΦB	L
10	18	22.5	9
15	24	28.5	9
20	30	36.5	11
25	35	44	13
32	41	50	13
40	48	56	13
50	61	68.5	14
65	79	86	16
80	93	100	16
100	114	121	20
125	137	150	22
150	163	176	24



11851扩展/英制活接

11851 DIN Union/Expanding Union



高洁净流体设备阀门及管道连接部件
解决方案专业制造商
PROFESSIONAL MANUFACTURER OF
SANITARY FLUID VALVE & PIPE FITTING SOLUTIONS


11851活接

11851 Union



DIN-14 WELDING LINER


DIN No.QL-004



SIZE	ΦA	ΦB	ΦC	ΦD	L
10	10	12.2	18	22	17
15	16	18.2	24	28	17
20	20	22.2	30	36	18
25	26	28.2	35	44	22
32	32	34.2	41	50	25
40	38	40.2	48	56	26
50	50	52.2	61	68	28
65	66	70.3	79	86	32
80	81	85.3	93	100	37
100	100	104.3	144	121	44
125	125	129.3	137	150	34
150	150	154.3	163	176	37

DIN-13R ROUND NUT


DIN No.QL-008



Size	ΦA	B	ΦC	D	L	SLOTS
10	10	DR-28*1/8	38	15	18	4
15	15	DR-34*1/8	44	15	18	4
20	20	DR-44*1/6	54	18	21	4
25	25	DR-52*1/6	63	18	21	4
32	32	DR-58*1/6	70	18	21	4
40	40	DR-65*1/5	78	18	21	4
50	50	DR-78*1/6	92	19	22	4
65	65	DR-95*1/6	112	21	25	6
80	80	DR-110*1/4	127	26	30	6
90	90	DR-120*1/4	138	26	30	6
100	100	DR-130*1/4	148	26	31	6
125	125	DR-160*1/4	178	30	35	6
150	150	DR-190*1/4	210	34	40	6

DIN-15R EXPANDING WELDING MALE

DIN No.QL-005



SIZE	ΦA	ΦB	ΦC	ΦD	L
10	10	12.2	18	DR-28*1/8	21
15	16	18.2	24	DR-34*1/8	21
20	20	22.0	30	DR-44*1/6	24
25	26	28.2	35	DR-52*1/6	29
32	32	34.2	41	DR-58*1/6	32
40	38	40.2	48	DR-65*1/6	33
50	50	52.2	61	DR-78*1/6	35
65	66	70.3	79	DR-95*1/6	40
80	81	85.3	93	DR-110*1/4	45
100	100	104.3	114	DR-130*1/4	54
125	125	129.3	137	DR-160*1/4	46
150	150	154.3	163	DR-190*1/4	50

DIN-14DA/DB WELDING LINER


DIN No.QL-009



ISO	ΦA	ΦB	ΦA	ΦB	ΦC	L
10	10	13	9	12	22	17
15	16	19	15	18	28	17
20	20	23	19	22	36	18
25	36	29	25	28	44	22
32	32	35	31	34	50	25
40	38	41	37	40	56	26
50	50	53	49	52	68	28
60	57	61	57	61	76	30
65	66	70	66	70	86	32
80	81	85	81	85	100	37
100	100	104	100	104	121	44
125	125	129	125	129	150	34
150	150	154	150	154	176	37

DIN-141IIMPERIAL WELDING LINER


DIN No.QL-006



SIZE	ΦA	ΦB	ΦD	L
1/2"	9.4	12.7	22	17
3/4"	15.75	19.05	36	18
1"	22.1	25.4	44	22
1 1/2"	34.8	38.1	56	26
2"	47.5	50.8	68	28
2 1/2"	60.2	63.5	86	32
3"	72.9	76.2	100	37
4"	97.6	101.6	121	44

DIN-15DA/DB WELDING MALE

DIN No.QL-010



ISO	ΦA	ΦB	ΦA	ΦB	C	L
10	10	13	9	12	DR-28*1/8	21
15	16	19	15	18	DR-34*1/8	21
20	20	23	19	22	DR-44*1/6	24
25	36	29	25	28	DR-52*1/6	29
32	32	35	31	34	DR-58*1/6	32
40	38	41	37	40	DR-65*1/6	33
50	50	53	49	52	DR-78*1/6	35
60	57	61	57	61	DR-85*1/6	36
65	66	70	66	70	DR-95*1/6	40
80	81	85	81	85	DR-110*1/4	45
90	89	93	89	93	DR-120*1/4	54
100	100	104	100	104	DR-130*1/4	54
125	125	129	125	129	DR-160*1/4	46
150	150	154	150	154	DR-190*1/4	50

DIN-151IIMPERIAL WELDING MALE

DIN No.QL-007



SIZE	ΦA	ΦB	C	L
1/2"	9.4	12.7	DR-28*1/8	21
3/4"	15.75	19.05	DR-44*1/6	24
1"	22.1	25.4	DR-52*1/6	29
1 1/2"	34.8	38.1	DR-65*1/6	33
2"	47.5	50.8	DR-78*1/6	35
2 1/2"	60.2	63.5	DR-95*1/6	40
3"	72.9	76.2	DR-110*1/4	45
4"	97.6	101.6	DR-130*1/4	54



11851活接

11851 Union



高洁净流体设备阀门及管道连接部件
解决方案专业制造商
PROFESSIONAL MANUFACTURER OF
SANITARY FLUID VALVE & PIPE FITTING SOLUTIONS


11851活接

11851 Union



DIN-14 WELDING LINER

DIN No.QL-011



SIZE	ΦA	ΦB	ΦC	L
10	10	15	22	17
15	16	21	28	17
20	20	25	36	18
25	26	31	44	22
32	32	37	50	25
40	38	43	56	26
50	50	55	68	28
60	57	63	76	30
65	66	72	86	32
100	81	87	100	37
	99	104	121	44
	100	106	121	44
150	125	132	150	34
	150	157	176	37

DIN-14E SHORT WELDING LINER


DIN No.QL-014



SIZE	ΦA	ΦB	ΦC	L
10	9/10	12/13	22.5	13
15	15/16	18/19	28.5	13
20	19/20	22/23	36.5	13
25	25/26	28/29	44	15
32	31/32	34/35	50	15
40	37/38	40/41	56	15
50	49/50	52/53	68.5	16
65	66	70	86	17
80	81	85	100	17
100	100	104	121	20
125	125	129	150	23.5
150	150	154	176	30

DIN-15 WELDING LINER


DIN No.QL-012



SIZE	ΦA	ΦB	C	L
10	10	15	DR-28*1/8	21
15	16	21	DR-34*1/8	21
20	20	25	DR-44*1/6	24
25	26	31	DR-52*1/6	29
32	32	37	DR-58*1/6	32
40	38	43	DR-65*1/6	33
50	50	55	DR-78*1/6	35
60	57	63	DR-85*1/6	36
65	66	72	DR-95*1/6	40
100	81	87	DR-110*1/4	45
	99	104	DR-130*1/4	54
	100	106	DR-130*1/4	54
	125	132	DR-160*1/4	46
150	150	157	DR-190*1/4	50

DIN-15E SHORT WELDING MALE

DIN No.QL-015



SIZE	ΦA	ΦB	C	L
10	9/10	12/13	DR 28*1/8	17
15	15/16	18/19	DR 34*1/8	17
20	19/20	22/23	DR 44*1/6	19
25	25/26	28/29	DR 52*1/6	22
32	31/32	34/35	DR 58*1/6	22
40	37/38	40/41	DR 65*1/6	22
50	49/50	52/53	DR 78*1/6	23
65	66	70	DR 95*1/6	25
80	81	85	DR 110*1/4	25
100	100	104	DR 130*1/4	30
125	125	129	DR 160*1/4	35.5
150	150	154	DR 190*1/4	40

DIN SEAL RING (EPDM,SILICONE, AITON)

DIN No.QL-013



SIZE	ΦA	ΦB	L
10	12	20	9
15	18	26	9
20	23	33	11
25	30	40	13
32	36	46	13
40	42	52	13
50	54	64	14
65	71	81	16
80	85	95	16
100	104	114	20
125	130	142	22
150	155	167	24

DIN-141IMPERIAL WELDING LINER


DIN No.QL-016



SIZE	ΦA	ΦB	ΦC	L
25	22.2	25	44	68
32	28.7	32.2	50	69
40	34	38	56	69
50	47	50.5	68	83.5
65	59	63.2	86	101.5
80	71.5	75.5	100	120.5
100	95	100.8	121	137.5

DIN-151IMPERIAL WELDING LINER

DIN No.QL-017



SIZE	ΦA	ΦB	C	L
25	22.2	25	DR 52*1/6	73
32	28.7	32.2	DR 58*1/6	74
40	34	38	DR 65*1/6	74
50	47	50.5	DR 78*1/6	80.5
65	59	63.2	DR 95*1/6	106.5
80	71.5	75.5	DR 110*1/4	121.5
100	95	100.8	DR 130*1/4	130



11851-1 活接A

11851-1 Union A



高洁净流体设备阀门及管道连接部件
解决方案专业制造商
PROFESSIONAL MANUFACTURER OF
SANITARY FLUID VALVE & PIPE FITTING SOLUTIONS

11864-1 活接A

11864-1 Union A



DIN-13R ROUND NUT


DIN No.QL-018



SIZE	ΦA	B	ΦC	L	SLOTS
10	9	DR 28*1/8	38	18	4
15	25	DR 34*1/8	44	18	4
20	31	DR 44*1/6	54	20	4
25	36	DR 52*1/6	63	21	4
32	42	DR 58*1/6	70	21	4
40	49	DR 65*1/6	78	21	4
50	62	DR 78*1/6	92	22	4
65	80	DR 95*1/6	112	25	6
80	94	DR 110*1/4	127	29	6
90	104	DR 120*1/4	138	30	6
100	115	DR 130*1/4	148	31	6
125	138	DR 160*1/4	178	35	6
150	164	DR 190*1/4	210	40	6

DIN/ISO/IMPERIAL - 14 LINER BLANK CAP


DIN No.QL-021



SIZE	B	ΦC	L
DN10 1/2"	18	21.9	9
DN15 3/4"	24	27.9	9
DN20	30	35.9	10
DN25 1"	35	42.9	12
DN32	41	48.9	13
DN40 1.5"	48	45.9	13
DN50 2"	61	66.9	14
DN65 2.5"	79	84.9	16
DN80 3"	93	98.9	16
DN100 4"	114	118.9	20

LINER


DIN No.QL-019



DIN	ΦA	ΦB	ISO	ΦA	ΦB	INCH	ΦA	ΦB	ΦC	L
DN10	10	13	DN8	10.3	13.5	1/2"	9.4	12.7	21.9	17
DN15	16	19	DN10	14	17.2	3/4"	15.75	19.5	27.9	17
DN20	20	32	DN15	18.1	21.3	-	-	-	42.9	18
DN25	26	29	DN20	23.7	26.9	1"	22.1	25.4	48.9	22
DN32	32	35	DN25	29.7	33.7	-	-	-	54.9	25
DN40	38	41	DN32	38.4	42.4	1.5"	34.8	38.1	66.9	26
DN50	50	53	DN40	44.3	48.3	2"	47.5	50.8	66.9	30
DN65	66	70	DN50	56.3	60.3	2.5"	60.2	63.5	84.9	34
DN80	81	85	DN65	72.1	76.1	3"	72.9	76.2	98.9	38
DN100	100	104	DN80	84.3	88.9	4"	97.4	101.6	118.9	46

DIN/ISO/IMPERIAL - 14 LINER BLANK CAP


DIN No.QL-022



SIZE	B	ΦC	D	L
DN10 1/2"	23	22	DR 28*1/8	24
DN15 3/4"	28	28	DR 34*1/8	24
DN20	34	36	DR 44*1/6	24
DN25 1"	44	43	DR 52*1/6	24
DN32	53	49	DR 58*1/6	24
DN40 1.5"	60	55	DR 65*1/6	24
DN50 2"	72	67	DR 78*1/6	24
DN65 2.5"	87	85	DR 95*1/6	28
DN80 3"	100	99	DR 110*1/4	28
DN100 4"	120	119	DR 130*1/4	30

MALE


DIN No.QL-020



DIN	ΦA	ΦB	ISO	ΦA	ΦB	INCH	ΦA	ΦB	C	L
DN10	10	13	DN8	10.3	13.5	1/2"	9.4	12.7	DR 28*1/8	19
DN15	16	19	DN10	14	17.2	3/4"	15.75	19.5	DR 34*1/8	19
DN20	20	32	DN15	18.1	21.3	-	-	-	DR 44*1/6	21
DN25	26	29	DN20	23.7	26.9	1"	22.1	25.4	DR 52*1/6	26
DN32	32	35	DN25	29.7	33.7	-	-	-	DR 58*1/6	30
DN40	38	41	DN32	38.4	42.4	1.5"	34.8	38.1	DR 65*1/6	31
DN50	50	53	DN40	44.3	48.3	2"	47.5	50.8	DR 78*1/6	31
DN65	66	70	DN50	56.3	60.3	2.5"	60.2	63.5	DR 95*1/6	36
DN80	81	85	DN65	72.1	76.1	3"	72.9	76.2	DR 110*1/4	42
DN100	100	104	DN80	84.3	88.9	4"	97.4	101.6	DR 130*1/4	50

SEAL

No.QL-023



DIN	ΦA	ISO	ΦA	INCH	ΦA	L
DN10	12	Dn8	12	1/2"	12	3.5
DN15	18	DN10	61	3/4"	18	3.5
DN20	22	DN15	20	-	-	3.5
DN25	28	DN20	26	1"	24	3.5
DN32	34	DN25	32	-	-	5
DN40	40	DN32	40.5	1.5"	37	5
DN50	52	Dn40	46.5	2"	50	5
DN65	68	Dn50	58.5	2.5"	62	5
DN80	83	Dn65	73.5	3"	75	5
DN100	102	DN80	86.5	4"	100	5



11864-1 活接A

11864-1 Union A



高洁净流体设备阀门及管道连接部件
解决方案专业制造商
PROFESSIONAL MANUFACTURER OF
SANITARY FLUID VALVE & PIPE FITTING SOLUTIONS


11864-2 活接A

11864-2 Union A




DIN-13R ROUND NUT

DIN No.QL-024



SIZE	ΦA	B	ΦC	L	SLOTS
10	9	DR 28*1/8	38	18	4
15	25	DR 34*1/8	44	18	4
20	31	DR 44*1/6	54	20	4
25	36	DR 52*1/6	63	21	4
32	42	DR 58*1/6	70	21	4
40	49	DR 65*1/6	78	21	4
50	62	DR 78*1/6	92	22	4
65	80	DR 95*1/6	112	25	6
80	94	DR 110*1/4	127	29	6
90	104	DR 120*1/4	138	30	6
100	115	DR 130*1/4	148	31	6
125	138	DR 160*1/4	178	35	6
150	164	DR 190*1/4	210	40	6

No.QL-027



DIN Nutflansch(NF)

SIZE	ΦA	ΦB	ΦC	L
DN10	10	13	54	41.5
DN15	16	19	59	41.5
DN20	20	23	64	41.5
DN25	26	29	70	41.5
DN32	32	35	76	46.5
DN40	38	41	82	46.5
DN50	50	53	94	46.5
DN65	66	70	113	55.5
DN80	81	85	133	59.5
DN100	100	104	159	59.5
DN125	125	129	183	61.5
DN150	150	154	213	61.5

ISO Nutflansch(NF)


SIZE	ΦA	ΦB	ΦC	L
13.5	10.3	13.5	54	41.5
17.2	14	17.2	59	41.5
21.3	18.1	21.3	62	41.5
26.9	23.7	26.9	69	41.5
33.7	29.7	33.7	74	46.5
42.4	38.4	42.4	82	46.5
48.3	44.3	48.3	88	46.5
60.3	56.3	60.3	103	55.5
76.1	72.1	76.1	125	57.5
88.9	84.3	88.9	137	59.5
114.3	109.7	114.3	168	59.5

IMPERIAL Nutflansch(NF)

SIZE	ΦA	ΦB	ΦC	L
1/2"	9.4	12.7	54	41.5
3/4"	15.75	19.05	59	41.5
1"	22.1	25.4	66	41.5
1.5"	34.8	38.1	79	46.5
2"	47.5	50.8	92	46.5
2.5"	60.2	63.5	107	55.5
3"	72.9	76.2	125	57.5
4"	97.38	101.6	157	59.5


LINER

DIN No.QL-025



DIN	ΦA	ΦB	L	ISO	ΦA	ΦB	L	ΦC	INCH	ΦA	ΦB	L	ΦC
DN10	10	13	39	DN8	10.3	13.5	39	21.9	1/2"	9.4	12.7	39	21.9
DN15	16	19	39	DN10	14	17.2	39	27.9	3/4"	15.75	19.5	39	27.9
DN20	20	32	38	DN15	18.1	21.3	38	42.9	-	-	-	-	42.9
DN25	26	29	40	DN20	23.7	26.9	40	48.9	1"	22.1	25.4	41	48.9
DN32	32	35	47	DN25	29.7	33.7	47	54.9	-	-	-	-	54.9
DN40	38	41	47	DN32	38.4	42.4	47	66.9	1.5"	34.8	38.1	47	66.9
DN50	50	53	48	DN40	44.3	48.3	48	66.9	2"	47.5	50.8	48	66.9
DN65	66	70	61	DN50	56.3	60.3	62	84.9	2.5"	60.2	63.5	62	84.9
DN80	81	85	61	DN65	72.1	76.1	61	98.9	3"	72.9	76.2	61	98.9
DN100	100	104	66	DN80	84.3	88.9	68	118.9	4"	97.4	101.6	68	118.9

No.QL-028



DIN Bundflansch(BF)


SIZE	ΦA	ΦB	ΦC	L
DN10	10	13	54	40
DN15	16	19	59	40
DN20	20	23	64	40
DN25	26	29	70	40
DN32	32	35	76	45
DN40	38	41	82	45
DN50	50	53	94	45
DN65	66	70	113	54
DN80	81	85	133	58
DN100	100	104	159	58
DN125	125	129	183	60
DN150	150	154	213	60

ISO Bundflansch(BF)

SIZE	ΦA	ΦB	ΦC	L
13.5	10.3	13.5	54	41.5
17.2	14	17.2	59	41.5
21.3	18.1	21.3	62	41.5
26.9	23.7	26.9	69	41.5
33.7	29.7	33.7	74	46.5
42.4	38.4	42.4	82	46.5
48.3	44.3	48.3	88	46.5
60.3	56.3	60.3	103	55.5
76.1	72.1	76.1	125	57.5
88.9	84.3	88.9	137	59.5
114.3	109.7	114.3	168	59.5

MALE

No.QL-026



DIN	ΦA	ΦB	L	ISO	ΦA	ΦB	L	ΦC	INCH	ΦA	ΦB	L	ΦC
DN10	10	13	41	DN8	10.3	13.5	41	21.9	1/2"	9.4	12.7	41	21.9
DN15	16	19	41	DN10	14	17.2	41	27.9	3/4"	15.75	19.5	41	27.9
DN20	20	32	43	DN15	18.1	21.3	43	42.9	-	-	-	-	42.9
DN25	26	29	43	DN20	23.7	26.9	43	48.9	1"	22.1	25.4	43	48.9
DN32	32	35	48	DN25	29.7	33.7	48	54.9	-	-	-	-	54.9
DN40	38	41	48	DN32	38.4	42.4	48	66.9	1.5"	34.8	38.1	48.5	66.9
DN50	50	53	48	DN40	44.3	48.3	49	66.9	2"	47.5	50.8	48.5	66.9
DN65	66	70	60	DN50	56.3	60.3	60	84.9	2.5"	60.2	63.5	60	84.9
DN80	81	85	64	DN65	72.1	76.1	64	98.9	3"	72.9	76.2	64	98.9
DN100	100	104	64	DN80	84.3	88.9	64	118.9	4"	97.4	101.6	64	118.9

IMPERIAL Bundflansch(BF)

SIZE	ΦA	ΦB	ΦC	L
1/2"	9.4	12.7	54	40
3/4"	15.75	19.05	59	40
1"	22.1	25.4	66	40
1.5"	34.8	38.1	79	45
2"	47.5	50.8	92	45
2.5"	60.2	63.5	107	54
3"	72.9	76.2	125	56
4"	97.38	101.6	157	58



SMS长焊/短活接

SMS long welding/short union



高洁净流体设备阀门及管道连接部件
解决方案专业制造商
PROFESSIONAL MANUFACTURER OF
SANITARY FLUID VALVE & PIPE FITTING SOLUTIONS


SMS长焊/短活接

SMS long welding/short union



SMS-13R NUT 6 SLOTS


No.QL-029



SIZE	ΦA	B	ΦC	L
25	32.5	DR 40*1/6	51	19
32	40.3	DR 48*1/6	60	22
38	48.5	DR 60*1/6	74	23
50	61	DR 70*1/6	84	24
63	74	DR 85*1/6	100	28
76	87	DR 98*1/6	114	30
101.6	113	DR 125*1/4	138	31
104	113	DR 125*1/4	138	31
101.6-B	117	DR 132*1/6	150	31

SMS-14S SHORT WELDING LINER


No.QL-033



SIZE	ΦA	ΦB	ΦC	L
25	22.4	25.4	35.5	9
38	35.1	38.1	55	8
50	47.5	50.8	65	9
63	59.5	63.5	80	9
76	72.2	76.2	93	10
101.6	97.6	101.6	118	12
104	100	104	118	12
101.6-B	98.5	102.5	127	12

SMS-13R RBN BLANK NUT

No.QL-030



SIZE	B	ΦC	L
25	DR 40*1/6	51	19
32	DR 48*1/6	60	22
38	DR 60*1/6	74	23
50	DR 70*1/6	84	24
63	DR 85*1/6	100	28
76	DR 98*1/6	114	30
104	DR 125*1/4	138	31

SMS-15GL LONG WELDING MALE


No.QL-034



SIZE	ΦA	ΦB	ΦC	L
25	22.4	25.4	DR 40*1/6	18
38	35.1	38.1	DR 60*1/6	21
50	47.8	50.8	DR 70*1/6	21
63	59.5	63.5	DR 85*1/6	23
76	72.2	76.2	DR 98*1/6	23
101.6	97.6	101.6	DR 125*1/4	26
104	100	104	DR 125*1/4	26
104-B	98.5	102.5	DR 132*1/6	26

SMS-14GL LONG WELDING LINER


No.QL-031



SIZE	ΦA	ΦB	ΦC	L
25	22.4	25.4	35.5	15.5
38	35.1	38.1	55	16
50	47.8	50.8	65	17
63	59.5	63.5	80	17
76	72.2	76.2	93	19
101.6	97.6	101.6	118	19
104	100	104	118	19
104-B	98.5	102.5	127	19

SMS-15GL LONG WELDING MALE


No.QL-032



SIZE	ΦA	ΦB	ΦC	L
25	22.4	25.4	DR 40*1/6	19
38	35.1	38.1	DR 60*1/6	23
50	47.8	50.8	DR 70*1/6	23
63	59.5	63.5	DR 85*1/6	27
76	72.2	76.2	DR 98*1/6	27
101.6	97.6	101.6	DR 125*1/4	30
104	100	104	DR 125*1/4	30
104-B	98.5	102.5	DR 132*1/6	35

SMS-14R EXPANDING LINER

No.QL-035



SIZE	ΦA	ΦB	ΦC	L
25	25	32	35.5	17
32	32	40	43.5	17
38	38	47.9	55	20
40	40	48	55	20
50	51	60.4	65	20
63	63.5	73.5	80	25
76	76.1	86.5	93	30
101.6	101.6	112.5	118	27
104	104	112.5	118	27



SMS长焊/短活接
SMS long welding/short union




高洁净流体设备阀门及管道连接部件
解决方案专业制造商
PROFESSIONAL MANUFACTURER OF
SANITARY FLUID VALVE & PIPE FITTING SOLUTIONS

卫生级由任
Hygienic union



SMS-15GR EXPANDING MALE


No.QL-036



SIZE	ΦA	ΦB	ΦC	L
25	25	32	DR 40*1/6	20
32	32	40	DR 48*1/6	20
38	38	47.9	DR 60*1/6	23
40	40	48	DR 60*1/6	23
50	51	60.4	DR 70*1/6	25
63	63.5	73.5	DR 85*1/6	30
76	76.1	86.5	DR 98*1/6	35
101.6	101.6	112.5	DR 125*1/6	30
104	104	112.5	DR 125*1/4	30

六角螺母 Hexagon nut


3A No.QL-039



SIZE	A	B	C	L1
1"	46	30.3	38.02x1/8T ACME	23
1 1/2"	61.1	43.4	51.54x1/8T ACME	24.6
2"	76.2	56.5	65.05x1/8T ACME	27
2 1/2"	91.3	69.6	78.56x1/8T ACME	30.2
3"	106.4	82.7	92.08x1/8T ACME	32.5
4"	137.6	108.9	120.14x1/6T ACME	38.1

螺纹接头 Threaded ferrule

3A No.QL-040



SIZE	A	B	G	15TRF	15A
1"	25.4	22.1	37.13x1/8T ACME	18.3	34.9
1 1/2"	38.1	34.8	50.65x1/8T ACME	18.3	38.1
2"	50.8	47.5	64.1x1/8T ACME	19.1	38.1
2 1/2"	63.5	60.2	77.67x1/8T ACME	22.2	44.5
3"	76.2	72.9	91.19x1/8T ACME	23.1	44.5
4"	101.6	97.4	119.25x1/6T ACME	26.2	44.5

SMS-15AHR HOSE ADAPTER


No.QL-037



SIZE	ΦA	B	ΦC	L
25	32	35.5	3.5	7.5
38	48	55	5	9
50	60	65	5	10
63	73.5	80	5	10
76	86	93	5	11
104	118	118	6	11
140-B	128	128	6	11

平接头 Liner


3A No.QL-041



SIZE	A	B	14TRF	L1	14A
1"	33.3	25.4	18.3		34.9
1 1/2"	46.8	38.1	18.3		38.1
2"	60.3	50.8	19.1		38.1
2 1/2"	73.8	63.5	22.3		44.5
3"	87.3	76.2	23.1		44.5
4"	114.3	101.6	26.2		44.5

SEAL RING LYPE(EPDM,SILICONE,VITON)


No.QL-038



SIZE	ΦA	B	ΦC	L
25	22.8	25.1	31.8	5.3
38	35.8	38.1	47.8	5.3
50	48.8	51.5	64.8	5.3
63	61	63.6	73.3	5.3
76	73.4	76.1	85.8	5.3
104	100.5	104	115.7	5.3

盲螺母 Blind nut


3A No.QL-042



SIZE	A	G	L1
1"	52	38.02x1/8T ACME	23
1 1/2"	76.6	51.54x1/8T ACME	24.6
2"	88	65.05x1/8T ACME	27
2 1/2"	105.5	78.56x1/8T ACME	30.2
3"	123	92.08x1/8T ACME	32.5
4"	159	120.14x1/6T ACME	38.1

堵头(16A) End cap(16A)


3A No.QL-043



SIZE	A	B	L1	L2	L3
1"	33.3	29.5	11.9	7.9	3.2
1 1/2"	46.8	42.6	14.3	8.7	4
2"	60.3	55.7	15.9	10.3	4
2 1/2"	73.8	68.8	16.7	11.1	4.8
3"	87.3	81.9	18.3	11.9	4.8
4"	114.3	108.1	20.6	14.3	5.6

焊接接头 Welded ferrule

ISO/IDF No.QL-044



SIZE	A	B	C	L1
1"	33.8	25.65	22.2	21.5
1 1/2"	47	38.35	34.9	21.5
2"	60.5	51.05	47.6	21.5
2 1/2"	74	63.75	60.3	21.5
3"	87.5	76.45	73	21.5
4"	120.6	101.85	97.6	30

膨胀云头 Expanding male


ISO/IDF No.QL-048



SIZE	A	B	C	L1
1"	39	25.7	37.13x1/8T ACME	21.5
1 1/2"	42.5	38.4	50.65x1/8T ACME	21.5
2"	56	51.2	64.16x1/8T ACME	21.5
2 1/2"	69.7	60.3	77.67x1/8T ACME	21.5
3"	82.3	76.6	91.19x1/8T ACME	21.5
4"	111.1	102	125.99x1/6T ACME	30

焊接云头 Male ferrule


ISO/IDF No.QL-045



SIZE	A	B	G	L1
1"	25.4	22.2	37.13x1/8T ACME	21.5
1 1/2"	38.1	34.9	50.65x1/8T ACME	21.5
2"	50.8	47.6	64.16x1/8T ACME	21.5
2 1/2"	63.5	60.3	77.67x1/8T ACME	21.5
3"	76.2	73	91.19x1/8T ACME	21.5
4"	101.6	97.6	125.9x1/6T ACME	30

盲接头 Blind ferrule


ISO/IDF No.QL-049



SIZE	A	B	L1
1"	33.8	29	10.5
1 1/2"	47	42.5	10.5
2"	60.5	56	10.5
2 1/2"	74	69.7	10.5
3"	87.5	82.3	10.5
4"	120	111.1	10.5

六角螺帽 Hexagon nut


ISO/IDF No.QL-046



SIZE	A	B	G	L1
1"	46	30.5	34.34x1/8T ACME	30
1 1/2"	60	43.5	47.86x1/8T ACME	30
2"	75	57	61.37x1/8T ACME	30
2 1/2"	90	70.7	74.88x1/8T ACME	30
3"	105	83.3	88.40x1/8T ACME	30
4"	133	112	122.04x1/6T ACME	34.9

六角盲盖 Hexagonal blind ferrule


ISO/IDF No.QL-050



SIZE	A	G	L1
1"	46	34.34x1/8T ACME	30
1 1/2"	60	47.86x1/8T ACME	30
2"	75	61.37x1/8T ACME	30
2 1/2"	90	74.88x1/8T ACME	30
3"	105	88.40x1/8T ACME	30
4"	133	122.04x1/6T ACME	34.9

膨胀接头 Expanding ferrule


ISO/IDF No.QL-047



SIZE	A	B	C	L1
1"	33.8	29	25.7	20
1 1/2"	47	45.5	38.4	20
2"	60.5	56	54.2	20
2 1/2"	74	69.7	63.9	25
3"	87.5	82.3	76.6	30
4"	120.6	111.1	102	30

密封圈 Gasket

ISO/IDF No.QL-051



SIZE	A	B	L1	L2
1"	23.2	32.5	7	6
1 1/2"	35.9	46	7	6
2"	48.5	59.5	7	6
2 1/2"	61.3	73.2	7	6
3"	74	86.5	7	6
4"	98.6	119	9.6	6

圆螺母 Round nut


RJT No.QL-052



SIZE	A	B	G	L1
1"	58.5	33.45	42.226x1/8T WHIT	22
1 1/2"	74	46	54.966x1/8T WHIT	22
2"	85.5	58.67	67.920x1/8T WHIT	22
2 1/2"	98.5	71.4	80.620x1/8T WHIT	22
3"	111.6	84.1	93.320x1/8T WHIT	22
4"	138	109.7	118.320x1/6T WHIT	22
6"	197	163	169.52x1/6T WHIT	23.5

膨胀型螺纹接 Expanding male


RJT No.QL-056



SIZE	A	B	G	L1
1"	32.5	25.5	45.72x1/8T WHIT	20
1 1/2"	45.5	38.2	58.42x1/8T WHIT	24
2"	57.9	50.9	72.72x1/8T WHIT	28
2 1/2"	70.6	63.6	85.42x1/8T WHIT	32
3"	83.3	76.3	98.12x1/8T WHIT	32
4"	108.7	101.6	123.52x1/6T WHIT	32

螺纹接头 Threaded ferrule


RJT No.QL-053



SIZE	A	B	G	L1
1"	25.4	22.2	45.72x1/8T WHIT	27
1 1/2"	38.1	34.9	58.42x1/8T WHIT	27
2"	50.8	47.6	72.72x1/6T WHIT	27
2 1/2"	63.5	60.3	85.42x1/6T WHIT	27
3"	76.2	73	98.12x1/6T WHIT	27
4"	101.6	79	123.52x1/6T WHIT	27
6"	152.4	146.86	174.32x1/6T WHIT	24

膨胀型平接头 Expanding Liner


RJT No.QL-057



SIZE	A	B	C	L1
1"	41.3	32.5	25.5	20
1 1/2"	54	45.5	38.2	24
2"	66.7	57.9	50.9	28
2 1/2"	79.4	70.6	93.6	32
3"	92.1	83.3	76.3	32
4"	117.5	108.7	101.6	32

平接头 Liner ferrule


RJT No.QL-054



SIZE	A	B	C	L1
1"	41.3	25.4	22.2	19.5
1 1/2"	54	38.1	34.9	19.5
2"	66.7	50.8	47.6	19.5
2 1/2"	79.4	63.5	60.3	19.5
3"	92.1	76.2	73	19.5
4"	117.5	101.6	97	19.5
6"	169.1	152.5	146.86	19.5

盲螺母 Blind nut


RJT No.QL-058



SIZE	A	G	L1
1"	58.5	42.266x1/8T WHIT	22
1 1/2"	74	52.966x1/8T WHIT	22
2"	85.5	67.920x1/8T WHIT	22
2 1/2"	98.5	80.620x1/8T WHIT	22
3"	111.6	93.320x1/8T WHIT	22
4"	138	118.320x1/6T WHIT	22

六角螺母 Hexagon nut


RJT No.QL-055



SIZE	A	B	G	L1
1"	58.7	33.45	42.266x1/8T WHIT	22
1 1/2"	75.1	46	54.966x1/8T WHIT	22
2"	91.7	58.67	67.920x1/6T WHIT	22
2 1/2"	106.4	71.4	80.620x1/6T WHIT	22
3"	120.3	84.1	93.320x1/6T WHIT	22
4"	150.4	109.7	118.720x1/6T WHIT	22
6"	184	163	169.52x1/6T WHIT	24

密封圈 Gasket

RJT No.QL-059




SIZE	A	B
1"	33.3	6.4
1 1/2"	46.6	6.4
2"	58.7	6.4
2 1/2"	71.4	6.4
3"	84.1	6.4
4"	109.5	6.4

卡盘软管接头 Clamp Hose Adapter

No.QL-057

SIZE	ΦA	ΦB	L
1/2"	25.2/34	13	50
3/4"	25.2/34	19	60
1"	50.5	25	63
1-1/4"	50.5	32	65
1-1/2"	50.5	38	67
2"	64	50	77.5
2-1/2"	77.5	63	91.5
3"	91	76	105.7
4"	119	102	117.5




内抛光分6个等级6 levels of internal polishing					
机械抛光 Mechanical polishing			机械抛光机加电解抛光 Mechanical polishing machine and electrolytic polishing		
表面要求 Surface requirements	Ra Max		表面要求 Surface requirements	Ra Max	
	U-in	U-m		U-in	U-m
SF0	无要求no request	无要求no request	SF4	15	0.38
SF1	20	0.51	SF5	20	0.51
SF2	25	0.64	SF6	25	0.64
SF3	30	0.76			

BPE抛光度 接头内壁粗糙度Ra<0.6um,可根据要求提供粗糙度Ra<0.4um的接头。
BPE polishing degree The inner wall roughness of the joint Ra<0.6um, and the joint with the roughness Ra<0.4um can be provided on request.

焊接扣压接头 Welded hose adapter


No.QL-058

SIZE	A	B	C	D	E	L
1"	25.4	22.1	20	25	48	63
1.5"	38.1	34.8	32.1	38	49	67
2"	50.8	47.5	44	50	55.5	77.5
2.5"	63.5	60.2	55	63	69.5	91.5
3"	76.2	72.9	69	76	83.5	105.7
4"	101.6	97.4	94	101.6	93.5	117.5




DIN软管接头 DIN hose adapter

No.QL-059



DIN公头
DIN male

SIZE	ØA	ØB	L
DN 20	RD44X1/6	19	63
DN 25	RD52X1/6	25	73
DN 38	RD65X1/6	38	74
DN 50	RD78X1/6	50	80.5
DN 65	RD95X1/6	63	106.5
DN 80	RD110X1/4	76	121.5
DN 100	RD130X1/4	102	130




DIN母头
DIN female

SIZE	ØA	ØB	L
DN 20	36.5	19	62
DN 25	44	25	68
DN 38	56	38	69
DN 50	68	50	83.5
DN 65	68	63	101.5
DN 80	100	76	120.5
DN 100	121	102	137.5


SMS软管接头 SMS hose adapter

No.QL-060



SMS公头
SMS male

SIZE	ØA	ØB	L
1"	RD40X1/6	25	69
1-1/2"	RD60X1/6	38	74
2"	RD70X1/6	50	80.5
2-1/2"	RD85X1/6	63	106.5
3"	RD98X1/6	76	120.5
4"	RD125X1/4	102	130




SMS母头
SMS female

SIZE	ØA	ØB	L
1"	35.5	25	61.5
1-1/2"	55	38	63
2"	65	50	79.5
2-1/2"	80	63	97.5
3"	93	76	113.5
4"	118	102	124.5

RJT公头扣压接头 RJT Male hose adapter


No.QL-061



SIZE	A	B	L
1"	45.720*8TRI WHIT	25	75
1.5"	58.420*8TRI WHIT	38	79
2"	72.720*6TRI WHIT	50	83.3
2.5"	85.420*6TRI WHIT	63	103.6
3"	98.120*6TRI WHIT	76	117.6
4"	123.520*6TRI WHIT	101.6	129.5

RJT母头扣压接头 RJT Female hose adapter


No.QL-062



SIZE	A	B	L
1"	41.3	25	68
1.5"	54	38	69
2"	66.7	50	80.5
2.5"	79.4	63	96.5
3"	92.1	76	110.5
4"	117.5	101.6	120.5

软管接头套筒 Hose crimp

No.QL-063



SIZE	A	B	C	L
1/2"	19	26	33.5	35
3/4"	25	32	39.5	42
1"	31	38	45.5	48
1.5"	44	51	58.5	49
2"	58	64	72	55.5
2.5"	70	76	84	69.5
3"	83	89	97	83.5
4"	109	116	124	93.5




国标法兰软管接头 GB flange hose adapter



高洁净流体设备阀门及管道连接部件
解决方案专业制造商
PROFESSIONAL MANUFACTURER OF
SANITARY FLUID VALVE & PIPE FITTING SOLUTIONS

美标法兰接头 3A Flange hose adapter



国标与欧标EN1092, 英标BS4504, 德标DIN2501法兰标准一致国标PN6
GB and European Standard En1092, British standard BS4504, German Standard DIN2501 FLANGE STANDARD PN6


SIZE	ØD	ØK	ØL	N	C	ØB
15	80	55	11	4	12	13
20	90	65	11	4	14	19
25	100	75	11	4	14	25
32	120	90	14	4	16	32
40	130	100	14	4	16	38
50	140	110	14	4	16	50
65	160	130	14	4	16	63
80	190	150	18	4	18	76
100	210	170	18	4	18	102

国标PN10/PN16
GB PN10/PN16

SIZE	ØD	ØK	ØL	N	C	ØB
15	95	65	14	4	14	13
20	105	75	14	4	16	19
25	115	85	14	4	16	25
32	140	100	18	4	18	32
40	150	110	18	4	18	38
50	165	125	18	4	20	50
65	185	145	18	4	20	63
80	200	160	18	8	20	76
100	220	180	18	8	22	102

国标PN25
GB PN25

SIZE	ØD	ØK	ØL	N	C	ØB
15	95	65	14	4	14	13
20	105	75	14	4	16	19
25	115	85	14	4	16	25
32	140	100	18	4	18	32
40	150	110	18	4	18	38
50	165	125	18	4	20	50
65	185	145	18	8	22	63
80	200	160	18	8	24	76
100	235	190	22	8	26	102



美标150LBS
American Standard 150LBS

SIZE	ØD	ØK	ØL	N	C	ØB
1/2"	88.90	60.45	15.70	4	11.20	13
3/4"	98.60	69.85	15.70	4	12.70	19
1.0"	108.0	79.25	15.70	4	14.20	25
1.25"	117.3	88.90	15.70	4	15.70	32
1.5"	127.0	98.60	15.70	4	17.50	38
2.0"	152.4	120.7	19.10	4	19.10	50
2.5"	177.8	139.7	19.10	4	22.40	63
3.0"	190.5	152.4	19.10	4	23.90	76
4.0"	228.6	190.5	19.10	8	23.90	102

美标300LBS
American Standard 300LBS

SIZE	ØD	ØK	ØL	N	C	ØB
1/2"	95.2	66.55	15.70	4	14.2	13
3/4"	117.3	82.50	19.00	4	15.7	19
1.0"	123.9	88.90	19.00	4	17.5	25
1.25"	133.3	98.60	19.00	4	19.0	32
1.5"	155.4	114.3	22.30	4	20.6	38
2.0"	165.1	127.0	19.00	8	22.3	50
2.5"	190.5	149.4	22.30	8	25.4	63
3.0"	209.5	168.1	22.30	8	28.4	76
4.0"	254	200.1	22.30	8	31.7	102